U.S. Serial No.: 10/712,419

Filed: November 12, 2003

Page 2 of 12

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of the claims in the

application.

Claims Listing

1. (Currently Amended) A method comprising:

placing a sample in contact with a device, wherein at least a portion of the device

comprises an immobilized binding partner for an analyte and wherein binding between the

immobilized binding partner and a suspected analyte causes formation of a detectable signal and

detection of the signal indicates the presence of a suspected analyte in the sample;

separating at least part of the portion of the device containing the bound analyte

and immobilized binding partner from at least part of the remainder of the device; and

analyzing the portion containing the bound analyte and immobilized binding

partner without detaching the bound analyte from the immobilized binding partner to provide

information regarding the suspected analyte.

2. (Previously Presented) The method of Claim 1, wherein the device is a lateral

flow device.

3. (Previously Presented) The method of Claim 1, wherein the information identifies

the suspected analyte.

4. (Previously Presented) The method of Claim 1, wherein the information describes

one or more characteristics of the suspected analyte.

5. (Currently Amended) The method of Claim 1, further comprising:

placing the portion containing the bound analyte and immobilized binding

partner in conditions effective to cause the quantity of the suspected analyte to increase; and

ATLLIB01 1919347.3

U.S. Serial No.: 10/712,419 Filed: November 12, 2003

Page 3 of 12

separating at least part of the suspected analyte from the portion containing the bound analyte <u>and immobilized binding partner</u> after <u>an</u> increase in the quantity of the suspected analyte.

- 6. (Currently Amended) The method of Claim 1, wherein the analyte is an organism and analyzing the portion containing the bound analyte <u>and immobilized binding partner</u> comprises placing the portion containing the bound analyte <u>and immobilized binding partner</u> on or in a selective growth medium in which the analyte will proliferate if present.
- 7. (Currently Amended) The method of Claim 1, wherein the method further comprises storing the device without further processing for up to five days after placing the sample in contact with the device and before separating the portion of the device containing the bound analyte and immobilized binding partner from at least part of the reminder of the device.
- 8. (Currently Amended) A method for isolating or concentrating a substance comprising consisting essentially of: the method of claim 1

placing a substance in contact with a device, wherein at least a portion of the device comprises an immobilized binding partner for an analyte and wherein binding between the immobilized binding partner and a suspected analyte causes formation of a detectable signal and detection of the signal indicates the presence of the suspected analyte in the substance;

separating the portion of the device containing the bound analyte and immobilized binding partner from the remainder of the device; and

analyzing the portion containing the bound analyte and immobilized binding partner to provide information regarding the suspected analyte.

- 9. (Currently Amended) A kit for performing the method of claim 1, comprising a device; wherein at least a portion of the device comprises a detection zone; wherein the detection zone comprises an immobilized binding partner for an analyte; and wherein the detection zone or a portion thereof is separable from the remainder of the device.
- 10. (Currently Amended) A device wherein at least a portion of the device comprises a detection zone, wherein the detection zone comprises an immobilized binding

U.S. Serial No.: 10/712,419

Filed: November 12, 2003

Page 4 of 12

partner for an analyte; wherein binding between the immobilized binding partner and a suspected analyte causes formation of a detectable signal in the detection zone, and wherein the device comprises structural features that facilitate separation of the portion detection zone containing the bound analyte and the immobilized binding partner or a part of the portion detection zone containing the bound analyte and the immobilized binding partner from at least part of the remainder of the device.

- 11. (Previously Presented) The method of claim 8, wherein the substance is a food or soil contaminant.
- 12. (Previously Presented) The method of claim 8, wherein the substance is a microorganism.
- 13. (Previously Presented) The method of claim 8, wherein the substance is a pathogen.
 - 14. (New) The method of Claim 8, wherein the device is a lateral flow device.
- 15. (New) The method of Claim 8, wherein the information identifies the suspected analyte.
- 16 (New) The method of Claim 8, wherein the information describes one or more characteristics of the suspected analyte.
 - 17. (New) The method of Claim 8, further comprising:

placing the portion containing the bound analyte and immobilized binding partner in conditions effective to cause the quantity of the suspected analyte to increase; and

U.S. Serial No.: 10/712,419 Filed: November 12, 2003

Page 5 of 12

separating at least part of the suspected analyte from the portion containing the

bound analyte and immobilized binding partner after an increase in the quantity of the

suspected analyte.

18. (New) The method of Claim 8, wherein the analyte is an organism and analyzing

the portion containing the bound analyte and immobilized binding partner comprises placing

the portion containing the bound analyte and immobilized binding partner on or in a selective

growth medium in which the analyte will proliferate if present.

19. (New) The method of Claim 8, wherein the method further comprises storing the

device without further processing for up to five days after placing the sample in contact with the

device and before separating the portion of the device containing the bound analyte and

immobilized binding partner from the reminder of the device.

20. (New) The method of Claim 10, wherein the device is a lateral flow device.

21. (New) The method of claim 8, wherein analyzing the portion containing the

bound analyte and immobilized binding partner to provide information regarding the suspected

analyte comprises analyzing the portion containing the bound analyte and immobilized binding

partner using a strip test binding assay, an agglutination assay, a DNA polymerase chain

reaction test, a motility test, a toxicology test, serotyping, selective media or selective agar

plating.

22. (New) The method of claim 8, wherein analyzing the portion containing the

bound analyte and immobilized binding partner to provide information regarding the suspected

analyte comprises analyzing the portion containing the bound analyte and immobilized binding

partner using a DNA polymerase chain reaction test.

23. (New) The method of claim 8, wherein analyzing the portion containing the

bound analyte and immobilized binding partner to provide information regarding the suspected

analyte comprises analyzing the portion containing the bound analyte and immobilized binding

partner using selective media or selective agar plating.

ATLLIB01 1919347.3

U.S. Serial No.: 10/712,419 Filed: November 12, 2003

Page 6 of 12

- 24. (New) The method of claim 8, wherein the substance is Escherichia coli, Salmonella or Listeria.
- 25. (New) The method of claim 8, wherein the substance is Escherichia coli O157:H7.